

Table 1. Total Fresh Weights (TFWs), Stem Fresh Weights (STFWs), Shoot Fresh Weights (SHFWs), Leaf Fresh Weights (LFWs), and Root Fresh Weights (RFWs) (g) of all seedlings (10 seedlings) of *Amaranthus dubius* with CHCF fertilizer treatment weighed at the final week (8th week) of experimentation. Rep.: Replication. 1st Replicate.

Seedlings Rep. 1	Week 8	(g) TFW	(g) STFW	(g) SHFW	(g) LFW	(g) RFW
1		21.38	9.08	8.68	5.86	2.94
2		21.61	9.18	8.99	6.06	3.22
3		18.98	8.68	8.47	5.49	2.41
4		18.58	8.46	8.38	5.21	2.26
5		20.41	9.07	8.56	5.65	2.84
6		28.43	10.93	12.13	8.52	5.87
7		41.03	11.14	20.01	14.32	6.02
8		22.31	9.56	11.03	6.60	4.24
9		19.18	8.97	8.48	5.60	2.80
10		21.62	9.34	9.51	6.22	4.02

Table 2. Total Fresh Weights (TFWs), Stem Fresh Weights (STFWs), Shoot Fresh Weights (SHFWs), Leaf Fresh Weights (LFWs), and Root Fresh Weights (RFWs) (g) of all seedlings (10 seedlings) of *Amaranthus dubius* with CHCF fertilizer treatment weighed at the final week (8th week) of experimentation. Rep.: Replication. 2nd Replicate.

Seedlings Rep. 2	Week 8	(g) TFW	(g) STFW	(g) SHFW	(g) LFW	(g) RFW
1		13.63	6.22	5.53	3.49	1.46
2		11.03	4.77	4.85	2.94	1.01
3		12.13	5.12	5.02	3.18	1.21
4		14.65	7.02	6.29	3.98	1.78
5		15.98	7.37	6.92	4.46	1.86
6		14.60	6.99	6.26	3.97	1.78
7		11.37	4.99	4.86	2.95	1.03
8		15.36	7.10	6.37	4.29	1.81
9		12.60	5.45	5.31	3.25	1.33
10		14.13	6.75	5.95	3.76	1.53

Table 3. Total Fresh Weights (TFWs), Stem Fresh Weights (STFWs), Shoot Fresh Weights (SHFWs), Leaf Fresh Weights (LFWs), and Root Fresh Weights (RFWs) (g) of all seedlings (10 seedlings) of *Amaranthus dubius* with CHCF fertilizer treatment weighed at the final week (8th week) of experimentation. Rep.: Replication. 3rd Replicate.

Seedlings Rep. 3	Week 8	(g) TFW	(g) STFW	(g) SHFW	(g) LFW	(g) RFW
1		17.69	8.40	8.14	5.06	2.17
2		16.49	7.58	7.55	4.77	1.96
3		11.91	5.12	4.88	3.05	1.14
4		13.49	5.98	5.52	3.47	1.44
5		14.25	6.89	6.14	3.90	1.64
6		13.57	6.01	5.52	3.49	1.45
7		13.70	6.38	5.76	3.58	1.52
8		12.90	5.93	5.49	3.35	1.39
9		14.22	6.82	6.13	3.83	1.58
10		14.37	6.99	6.22	3.95	1.77

Table 4. Total Fresh Weights (TFWs), Stem Fresh Weights (STFWs), Shoot Fresh Weights (SHFWs), Leaf Fresh Weights (LFWs), and Root Fresh Weights (RFWs) (g) of all seedlings (10 seedlings) of *Amaranthus dubius* with CHCF fertilizer treatment weighed at the final week (8th week) of experimentation. Rep.: Replication. 4th Replicate.

Seedlings Rep. 4	Week 8	(g) TFW	(g) STFW	(g) SHFW	(g) LFW	(g) RFW
1		16.78	7.97	7.86	4.98	2.08
2		8.47	3.43	2.96	1.91	0.78
3		10.68	4.22	4.69	2.56	0.91
4		12.15	5.19	5.12	3.19	1.24
5		13.14	5.92	5.52	3.47	1.42
6		10.32	4.16	4.10	2.19	0.81
7		14.25	6.99	6.14	3.93	1.65
8		12.09	5.06	4.99	3.14	1.14
9		16.52	7.96	7.80	4.88	1.98
10		16.16	7.37	7.16	4.53	1.92

Table 5. Total Fresh Weights (TFWs), Stem Fresh Weights (STFWs), Shoot Fresh Weights (SHFWs), Leaf Fresh Weights (LFWs), and Root Fresh Weights (RFWs) (g) of all seedlings (10 seedlings) of *Amaranthus dubius* with CHCF fertilizer treatment weighed at the final week (8th week) of experimentation. Rep.: Replication. 5th Replicate.

Seedlings Rep. 5	Week 8	(g) TFW	(g) STFW	(g) SHFW	(g) LFW	(g) RFW
1		14.74	7.05	6.34	4.17	1.80
2		13.81	6.57	5.79	3.60	1.49
3		12.20	5.36	5.16	3.25	1.30
4		14.10	6.65	5.93	3.70	1.52
5		14.22	6.80	6.04	3.76	1.58
6		15.48	7.12	6.90	4.42	1.83
7		13.63	6.23	5.73	3.55	1.47
8		17.07	7.99	8.12	5.03	2.08
9		12.77	5.87	5.33	3.30	1.34
10		15.91	7.24	6.91	4.43	1.83